



ISO 9001:2015 Certified

SAFETY DATA SHEET

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Preparation Date: 01/01/2019

Revision Date: N/A

Revision Number: 1

ECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Ammonium Carbonate TS Product Number: TS14034

1.2. Recommended Use and Restrictions on Use General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Dawn Scientific Inc

121 Liberty Street, Metuchen, NJ, 08840 Tel : 732-902-6300 | Fax : 973-802-1005 sales@dawnscientific.com | www.dawnscientific.com

1.4. Emergency Telephone Number (24 hours)

CHEMTREC (USA)	800-424-9300
CHEMTREC (International)	1+ 703-527-3887

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

Label elements

Warning		
Hazard statements		
Causes skin irritation		
Causes serious eye irritation		
May cause respiratory irritation		

Hazards not otherwise classified (HNOC)

Not Applicable

Other hazards

Harmful to aquatic life

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing mist or vapors Use only outdoors or in a well-ventilated area Wear protective gloves

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of water If skin irritation occurs: Get medical attention Take off contaminated clothing and wash it before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant in accordance with local, regional, national and international regulations as applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
Water	7732-18-5	78
Ammonium Carbonate	506-87-6 OR 103	20
Ammonia	7664-41-7	2

4. FIRST AID MEASURES

First aid measures

General Advice:	National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention. If skin irritation persists, call a physician.
Eye Contact:	Flush eyes with water for 15 minutes. Get medical attention.
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms

Causes serious eye irritation Causes skin irritation May cause irritation of respiratory tract

Indication of any immediate medical attention and special treatment needed

Notes to Physician: Tre

Treat symptomatically.

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media Suitable Extinguishing Media: The product is not flammable. If it is involved in a fire, extinguish the fire using an agent suitable for the type of surrounding fire. No information available. Unsuitable Extinguishing Media: Specific hazards arising from the chemical No information available. Hazardous combustion products Contact with metals may evolve flammable hydrogen gas. Specific hazards When heated to decomposition it emits toxic fumes. (Ammonium Carbonate) A sudden increase in temperature and pressure preceded a violent explosion when heating 1-chloro-2,4-dinitrobenzene and ammonia in a direct fired autoclave. Reaction with liquid ammonia and chlorine azide gives an explosive yellow liquid. Liquid ammonia + 1,2 dichloroethane may explode. Passing ammonia gas over magnesium perchlorate dessicant causes intensive drying of ammonia gas which leads to an exotherm, followed by a violent explosion. Ammonia is capable of reacting with some heavy metal compounds (gold, silver, mercury) to produce materials, some of uncertain constitution, which may explode violently when dry. Action of ammonia or ammonium salts on gold (III) chloride, oxide or other salts under a variety of conditions gives explosive or "fulminating" gold. Halogens or interhalogens + ammonia either reacts violently or produces explosive products. Ammonia + nitrogen trichloride produces endothermic and explosive nitrogen trichloride. Reaction of ammonia + selenium difluoride dioxide is violent and many of the products and derivatives are both shock and heat sensitive explosives. These include ammonium, potasssium silver and thallium salts of the "triselenimidate" ion. Violent explosions with ammonia + nitrogen oxide can occur in ammonia synthesis gas units. Liquid ammonia + solid dinitrogen tetraoxide reacts explosively. Oxygen + Platinium: oxidation of ammonia to nitric acid over platinium catalysts, substituion of oxygen for air causes fairly vigorous explosions. Thiocarbonyl azid thiocyanate reacts explosively with Page 3 of 13

	ammonia gas. Thiotrithiazyl chloride will rapidly absorb ammonia gas and then explode. Tetramethylammonium amide decomposes explosively at ambient temp. in presence of ammonia. Liquid ammonia + tellurium tetrachloride at -15°C forms tellurium nitride which explodes at 200°C. Ammonia + tellurium tetrabromide gives a mixture of tritellurium tetramitride and tellulrium bromide nitride, which explodes on heating. Liquid ammonia + ethylene oxide causes violent polymerization and a vapor cloud explosion. Ammonia + picric acid forms explosive salts. (Ammonia, anhydrous) Forms explosive compounds with many heavy metals such as silver, lead, zinc and their halide salts. It can form shock sensitive compounds with halogens, mercury oxide, and siliver oxide. (Ammonium Hydroxide).
Special Protective Actions for Firefighters	
Specific Methods:	No information available
Special Protective Equipment for Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

6. ACCIDENTAL RELEASE MEASURES

and full protective gear

Personal precautions, protective equipment and emergency procedures

Personal Precautions:	Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Remove all sources of ignition. Do not get water inside containers.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.
Methods and material for cont	ainment and cleaning up
Methods for containment	Stop leak if you can do it without risk. In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Neutralize the residue with a dilute solution of acetic acid. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). Use appropriate tools to put the spilled material in a suitable chemical waste disposal container.

7. HANDLING AND STORAGE

Precautions for safe handling

Technical Measures/Precautions:

Provide sufficient air exchange and/or exhaust in work rooms. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not ingest. Do not breathe vapors or spray mist. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical Measures/Storage Conditions:

Sensitive to light. Store in light-resistant containers. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Store at room temperature in the original container. Store away from incompatible materials.

Incompatible Materials: Acids

Acids Metals Oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

National occupational exposure limits

United States

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Water	7732-18-5	None	None	None	None
Ammonium Carbonate	506-87-6 OR 103	None	None	None	None
Ammonia	7664-41-7	50 ppm TWA 35 mg/m³ TWA	= 25 ppm TWA	= 35 ppm STEL	None

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Water	7732-18-5	None	None	None	None
Ammonium Carbonate	506-87-6 OR 103	None	None	None	None
Ammonia	7664-41-7	= 17 mg/m³ TWA = 25 ppm TWA	= 25 ppm TWA	25 ppm TWA	25 ppm TWAEV 17 mg/m ³ TWAEV 35 ppm STEV 24 mg/m ³ STEV

Australia and Mexico

Component	CAS No	Australia	Mexico
Water	7732-18-5	None	None
Ammonium Carbonate	506-87-6 OR 103	None	None
Ammonia	7664-41-7	24 mg/m ³ STEL 35 ppm STEL 25 ppm TWA 17 mg/m ³ TWA	= 18 mg/m³ TWA = 25 ppm TWA

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection:	Goggles or Safety glasses with side-shields.
Skin and body protection:	Chemical resistant apron Gloves Long sleeved clothing
Respiratory protection:	Vapor respirator. Be sure to use an approved/certified respirator or equivalent.
Hygiene measures:	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product When using, do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Appearance:	Color:
Liquid	No information available.	Clear. Colorless.
Odor:	Taste	Formula
No information available.	No information available.	No information available
Molecular/Formula weight (g/mole)	: Flammability (solid, gas)	Flashpoint (°C/°F):
No information available	no data available	No information available
Flash Point Tested according to:	Autoignition Temperature (°C/°F):	Lower Explosion Limit (%):
Not available	No information available	No information available
Upper Explosion Limit (%):	Melting point/range(°C/°F):	Decomposition temperature(°C/°F):
No information available	No information available	No information available
Boiling point/range(°C/°F): The lowest known value is 100°C/212°F (water)	Bulk density: No information available	Density (g/cm3): No information available
Specific gravity:	pH	Vapor pressure @ 20°C (kPa):
Weighted average: 1.06	Basic	The highest known value is 2.3 (water)
Evaporation rate:	Vapor density:	VOC content (g/L):
No information available	The highest known value is 0.62 (water	No information available
Odor threshold (ppm): No information available	Partition coefficient (n-octanol/water): No information available	Viscosity: No information available
Miscibility: No information available	Solubility: Easily soluble in cold water Soluble in diethyl ether Soluble in hot water Soluble in Methanol	

10. STABILITY AND REACTIVITY

Reactivity

Decomposes in hot water, yielding ammonia and carbon dioxide.

Air sensitive. Decomposes on exposure to air with loss of ammonia and carbon dioxide becoming white and powdery and converting to ammonium bicarbonate Sensitive to light. (Ammonium carbonate)

Incompatible with the following: Organic acids, amides, organic anhydrides, isocyanates, vinyl acetate, epichlorhydrin, aldehydes, Acrolein, Acrylic acid, chlorosulfonic acid, dimethyl sulfate, fluorine, gold + aqua regia, hydrochloric acid, hydrofluoric acid, hydrogen peroxide, iodine, nitric acid, olelum, propiolactone, propylene oxide, silver nitrate, silver oxide, silver oxide + ethyl alcohol, nitromethane, silver permanganate, sulfuric acid, halogens. Forms explosive compounds with many heavy metals (silver, lead, zinc) and halide salts.

(Ammonium Hydroxide)

Chemical stability	
Stability:	Sensitive to light. Exposure to light accelerates decomposition. Stable under recommended storage conditions.
Possibility of Hazardous Reactions	: Hazardous polymerization does not occur
Conditions to avoid:	Heat. Ignition sources. Incompatible materials. Exposure to light.
Incompatible Materials:	Acids Metals Oxidizing agents
Hazardous decomposition products:	No information available.
<u>Other Information</u> Corrosivity:	No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure: Eyes. Ingestion. Skin.

Acute Toxicity

 The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 17500 mg/kg

 ATEmix (inhalation-dust/mist)
 25 mg/l

 Component Information

Water CAS No

7732-18-5

LD50/oral/rat = > 90 mL/kg Oral LD50 Rat LD50/oral/mouse = No information available LD50/dermal/rabbit = No information available LD50/dermal/rat = No information available LC50/inhalation/rat = No information available LC50/inhalation/mouse = No information available Other LD50 or LC50information = No information available

Ammonium Carbonate				
CAS No LD50/oral/rat = No information	506-87-6 OR 103			
LD50/oral/mouse = No inform				
LD50/dermal/rabbit = No info				
LD50/dermal/rat = No inform				
LC50/inhalation/rat = No info				
LC50/inhalation/mouse = No				
Other LD50 or LC50informat	tion = No information available			
Ammonia				
CAS No	7664-41-7			
LD50/oral/rat = = 350 mg/kg	Oral LD50 Rat			
LD50/oral/mouse = No inform				
LD50/dermal/rabbit = No infe				
LD50/dermal/rat = =2000ppr	IIIIIIalallofi LCJURAL			
=350mg/kgOral LD50Rat				
LC50/inhalation/rat = 2000 p				
LC50/inhalation/mouse = No				
Other LD50 or LC50informat	tion = No information available			
Product Information				
LD50/oral/rat =				
Value - Acute Toxicity = No info	ormation available			
·····,				
LD50/oral/mouse =				
Value - Acute Tox = No informat	tion available			
value - Acute $IOX = INO INIOIMA$				
LD50/dermal/rabbit				
Value - Acute Toxicity = No information available				
LD50/dermal/rat				
VALUE - Acute Tox = No inform	ation available			
LC50/inhalation/rat				
VALUE-Vapor = No information	VALUE-Vapor = No information available			
VALUE-Gas = No information av	ailable			
VALUE-Dust/Mist = No information available				
LC50/Inhalation/mouse				
VALUE-Vapor = No information	available			
VALUE - Gas = No information a				
VALUE - Dust/Mist = No information available				
Symptoms_				
Skin Contact:	Causes skin irritation.			
Eye Contact:	Causes serious eye irritation.			
Inhalation	May cause respiratory tract irritation.			
Ingestion	May cause gastrointestinal tract irritation with nausea, vomiting, and diarrhea.			
May affect behavior/central nervous system (convulsions/seizures, somnolence),				
respiration(dyspnea).				
	ເອງມາລແບນແບນຈຸມແອລ).			

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity	No information available.
------------------	---------------------------

Sensitization:	No information available.
Sensitization:	No information available.

Mutagenic Effects:Experiments with bacteria and/or yeast have shown mutagenic effectsMay affect genetic material based on animal test data

Carcinogenic effects:

May cause cancer based on animal test data.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Water	7732-18-5	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
Ammonium Carbonate	506-87-6 OR 103	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed
Ammonia	7664-41-7	Not listed	Not listed	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity	No data is available
Reproductive Effects: Developmental Effects:	No information available No information available
Teratogenic Effects:	No information available

Specific Target Organ Toxicity

STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organs:	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects:	Aquatic environment.
<i>Ammonia - 7664-41-7</i> Fish Crustacea	0.73 - 2.35 mg/L LC50 Pimephales promelas 96 h 1 0.44 mg/L LC50 Cyprinus carpio 96 h 1 5.9 mg/L LC50 Pimephales promelas 96 h static 1 0.26 - 4.6 mg/L LC50 Lepomis macrochirus 96 h 1 1.5 mg/L LC50 Poecilia reticulata 96 h 1 1.19 mg/L LC50 Poecilia reticulata 96 h static 1 1.17 mg/L LC50 Lepomis macrochirus 96 h flow-through 1 25.4 mg/L LC50 Daphnia magna 48 h
Persistence and degradability:	No information available
Bioaccumulative potential:	No information available.
Mobility in soil Other adverse effects	No information available No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:

Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:

Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Water	7732-18-5	None	None	None	None
Ammonium Carbonate	506-87-6 OR 103	None	None	None	None
Ammonia	7664-41-7	None	None	None	None

14. TRANSPORT INFORMATION

DOT UN-No: Proper Shipping Name: Hazard Class Subsidiary Class	Not Regulated No information available No information available No information available
Packing group: Emergency Response Guide Number Marine Pollutant DOT RQ (Ibs): Special Provisions	No information available No information available No data available No information available No Information available
Symbol(s): Description:	No information available No information available
TDG (Canada) UN-No: Proper Shipping Name: Hazard Class Subsidiary Risk: Packing Group: Marine Pollutant Description: ADR UN Number Proper Shipping Name:	Not Regulated No information available No information available No information available No information available No information available No information available
Transport hazard class(es) Packing group Subsidiary Risk:	No information available No information available No information available
IMDG UN-No: Proper Shipping Name: Hazard Class: Subsidiary Risk: Packing Group: Marine Pollutant	Not Regulated No information available No information available No information available No information available No information available

Response Special Provisions	No information available
Precautionary Statements -	No information available
Packing group	No information available
Subsidiary Risk:	No information available
Proper Shipping Name: Transport hazard class(es)	No information available
UN Number Broper Shipping Name:	Not Regulated No information available
IATA	
Packing Group:	No information available
Subsidiary Risk:	No information available
Hazard Class	No information available
Proper Shipping Name:	No information available
ICAO (air) UN-No:	Not Regulated
Proper Shipping Name: Transport hazard class(es) Subsidiary Risk: Packing group	No information available No information available No information available No information available
RID UN Number	Not Regulated

15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
Water	7732-18-5	PresentACTIV E	Present KE-35400	Present	Not present	Present	Present	Present 231-791-2
Ammonium Carbonate	506-87-6 OR 103	Not Listed	Not present	Not present	Not present	Not listed	Not listed	Not present
Ammonia	7664-41-7	Present	Present KE-01625	Present	Present (1)-391	Present	Present	Present 231-635-3

U.S. Regulations

Ammonia Massachusetts RTK: Present Massachusetts EHS: extraordinarily hazardous New Jersey RTK Hazardous Substance List: 0084 New Jersey (EHS) List: 0084 500 lb TPQ New Jersey - Discharge Prevention - List of Hazardous Substances: Present New Jersey TCPA - EHS: =10000lbTQ =20000lbTQ =5200lbTQ Pennsylvania RTK: Environmental hazard Pennsylvania RTK - Environmental Hazard List Present Pennsylvania RTK - Special Hazardous Substances Present Michigan PSM HHC: = 10000 lb TQ anhydrous = 15000 lb TQ solutions greater than 44% ammonia by weight Minnesota - Hazardous Substance List: Present New York Release Reporting - List of Hazardous Substances: = 100 lb RQ Louisana Reportable Quantity List for Pollutants: Listed California Directors List of Hazardous Substances: Present FDA - 21 CFR - Total Food Additives Present - List Sourced from EAFUS

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen		Reproductive	Female Reproductive Toxicity:
Water	7732-18-5	Not Listed	Not Listed	Not Listed	Not Listed
Ammonium Carbonate	506-87-6 OR 103	Not Listed	Not Listed	Not Listed	Not Listed
Ammonia	7664-41-7	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Water	7732-18-5	None	None	None	None	None
Ammonium Carbonate	506-87-6 OR 103	None	None	None	None	None
Ammonia	7664-41-7	= 45.4 kg final RQ	500 lb TPQ	None	None	1.0 % de minimis

	100		concentration

U.S. TSCA

Component			TSCA 8(d) -Health and Safety Reporting
Water	7732-18-5	Not Applicable	Not Applicable
Ammonium Carbonate	506-87-6 OR 103	Not Applicable	Not Applicable
Ammonia	7664-41-7	Not Applicable	Not Applicable

Canada

WHIMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component Water 7732-18-5 (78) Ammonia 7664-41-7 (2) WHMIS 2015 Hazard Classification Not a dangerous product according to HPR classification criteria

Flammable gases - Category 1: H220 Extremely flammable gas.; Gases under pressure - Dissolved gas: H280 Contains gas under pressure, may explode when heated. (Ammonia solution, in water, with 35 - 50% Ammonia); Gases under pressure - Liquefied gas: H280 Contains gas under pressure, may explode when heated.; Acute toxicity - Inhalation - Category 3: H331 Toxic if inhaled. (Ammonia solution, in water, with more than 50% Ammonia; releases a toxic gas (Ammonia)); Health Hazard Not Otherwise Classified - Category 1: Causes severe damage to the respiratory tract; Skin corrosion/irritation - Category 1: H314 Causes severe skin burns and eye damage.; Serious Eye Damage/Eye Irritation -Category 1: H318 Causes serious eye damage.

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
Water	7732-18-5	Present	Not Listed
Ammonium Carbonate	506-87-6 OR 103	Not Listed	Not Listed
Ammonia	7664-41-7	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
Water	7732-18-5	Not listed
Ammonium Carbonate	506-87-6 OR 103	Not listed
Ammonia	7664-41-7	Present
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Water	7732-18-5	Not listed
Ammonium Carbonate	506-87-6 OR 103	Not listed
Ammonia	7664-41-7	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Water	7732-18-5	
Ammonium Carbonate	506-87-6 OR 103	
Ammonia	7664-41-7	

EU - CLP (1272/2008)

<u>**R-phrase(s)</u>** R36 - Irritating to eyes</u>

R38 - Irritating to skin

S -phrase(s)

S 2 - Keep out of the reach of children.

S 7 - Keep container tightly closed.

S 9 - Keep container in a well-ventilated place.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)

S36 - Wear suitable protective clothing

S39 - Wear eye/face protection

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
Water	7732-18-5		No information	
Ammonium Carbonate	506-87-6 OR 103		No information	
Ammonia	7664-41-7	C;R34 N;R50 R10 T;R23	0.5%<=C<5% Xn;R20-36/37/38 5%<=C T;R23-34	S(1/2)-S9-S16-S26-S3 6/37/39-S45-S61

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

Xi - Irritant



16. OTHER INFORMATION

Preparation Date: Revision date

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and Dawn Sciemtic Inc assumes no legal responsibility or liability whatsoever resulting from its use.