

Preparation Date: 01/01/2019

Revision Date: N/A

Revision Number: N/A

1. IDENTIFICATION**Product identifier**

Product code: C4580

Product Name: ISOPROPYL ALCOHOL, REAGENT, ACS

Other means of identification

Synonyms:

- 1-Methylethanol
- 1-Methylethyl alcohol
- 2-Hydroxypropane
- 2-Propanol
- 2-Propyl alcohol
- Alcool isopropylique (French)
- Dimethylcarbinol
- Isopropanol
- n-Propan-2-ol
- sec-Propyl alcohol

CAS #: 67-63-0

RTECS #: NT8050000

CI#: Not available

Recommended use of the chemical and restrictions on use

Recommended use: Solvent. Preservative. Antiseptic. Disinfectant. In pharmaceuticals.

Uses advised against: No information available

Supplier: Dawn Scientific Inc
121 Liberty Street, Metuchen, NJ, 08840
Tel : 732-902-6300 | Fax : 973-802-1005
sales@dawnscientific.com | www.dawnscientific.com

Emergency telephone number Chemtrec 1-800-424-9300**2. HAZARDS IDENTIFICATION****Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Considered a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Serious eye damage/eye irritation	Category 2A
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Label elements**Danger****Hazard statements**

Causes serious eye irritation
Suspected of damaging fertility or the unborn child
May cause respiratory irritation. May cause drowsiness or dizziness
May cause damage to organs through prolonged or repeated exposure
Highly flammable liquid and vapor

**Hazards not otherwise classified (HNOC)**

Not Applicable

Other hazards

Can burn with an invisible flame
May be harmful if swallowed
Causes mild skin irritation

Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Keep container tightly closed
Ground container and receiving equipment
Use explosion-proof equipment
Use only non-sparking tools
Take precautionary measures against static discharge
Keep cool

Precautionary Statements - Response

IN CASE OF FIRE: Use dry chemical, water spray, alcohol-resistant foam or CO2 to extinguish.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water
If skin irritation occurs: Get medical attention
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed
Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant in accordance with local, regional, national and

international regulations as applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	100

4. FIRST AID MEASURES

First aid measures

General Advice:	National Capital Poison Center in the United States can provide assistance if you have a poison emergency and need to talk to a poison specialist. Call 1-800-222-1222.
Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothing and shoes. Get medical attention if irritation develops.
Eye Contact:	Flush eyes with water for 15 minutes. Get medical attention.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
Ingestion:	Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms	Moderate eye irritation Mild skin irritation Central nervous system effects Dizziness Drowsiness Ataxia Narcosis Irritability Hallucinations May cause cardiovascular effects Cardiac arrhythmias May affect respiration Dyspnea (Difficulty breathing and shortness of breath) Respiratory depression Nausea Vomiting
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician:	Treat symptomatically.
----------------------------	------------------------

Protection of first-aiders

First-Aid Providers: Avoid exposure to blood or body fluids. Wear gloves and other necessary protective clothing. Dispose of contaminated clothing and equipment as bio-hazardous waste.

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media:	Carbon dioxide (CO ₂). Dry chemical. Alcohol-resistant foam. Water spray.
--------------------------------------	---

Unsuitable Extinguishing Media:

Do not use a solid (straight) water stream as it may scatter and spread fire.

Specific hazards arising from the chemical**Hazardous combustion products**

Carbon Monoxide, Carbon Dioxide.

Specific hazards

Highly flammable. May be ignited by heat, sparks or flames. Container explosion may occur under fire conditions or when heated. Material can burn with invisible flame. Vapor may travel considerable distance to source of ignition and flash back. Vapors may form explosive mixtures with air. Most vapors are heavier than air. They will spread along the ground and collect in low or confined areas (sewers, basements, tanks). Fire may produce irritating, corrosive and/or toxic gases.

Special Protective Actions for Firefighters**Specific Methods:**

No information available

Special Protective Equipment for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions:**

Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use spark-proof tools and explosion-proof equipment. In case of large spill, water spray or vapor suppressing foam may be used to reduce vapors, but may not prevent ignition in closed spaces.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up**Methods for containment**

Stop leak if you can do it without risk. Absorb spill with inert material (e.g. vermiculite, dry sand or earth). In case of large spill, dike if needed. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Use appropriate tools to put the spilled material in a suitable chemical waste disposal container. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE**Precautions for safe handling****Technical Measures/Precautions:**

Provide sufficient air exchange and/or exhaust in work rooms. Remove all sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from incompatible materials.

Safe Handling Advice:

Wear personal protective equipment. Use only in well-ventilated areas. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not breathe vapors or spray mist. Do not ingest. When using do not smoke. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities**Technical Measures/Storage Conditions:**

Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container. Sensitive to light. Store in light-resistant containers. Keep away from heat and sources of ignition. Store in a segregated and approved area. Store away from incompatible materials.

Incompatible Materials:

Oxidizing agents
Acids
Bases
isocyanates
Amines
Ammonia
Halogenated compounds
Halogens
Chlorine
Phosgene
Ethylene oxide
Acetaldehyde
chromium trioxide
Potassium t-butoxide
Aluminum
Oleum

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters****National occupational exposure limits****United States**

Component	CAS No	OSHA	NIOSH	ACGIH	AIHA WEEL
Isopropyl Alcohol	67-63-0	400 ppm TWA 980 mg/m ³ TWA	400 ppm TWA 980 mg/m ³ TWA 500 ppm STEL 1225 mg/m ³ STEL	400 ppm STEL 200 ppm TWA	None

Canada

Component	CAS No	Canada - Alberta	Canada - British Columbia	Canada - Ontario	Canada - Quebec
Isopropyl Alcohol	67-63-0	200 ppm TWA 492 mg/m ³ TWA 400 ppm STEL 984 mg/m ³ STEL	200 ppm TWA 400 ppm STEL	400 ppm STEL	None

Australia and Mexico

Component	CAS No	Australia	Mexico
Isopropyl Alcohol	67-63-0	500 ppm STEL 1230 mg/m ³ STEL 400 ppm TWA 983 mg/m ³ TWA	200 ppm TWA 400 ppm STEL

Appropriate engineering controls

Engineering measures to reduce exposure:

Ensure adequate ventilation. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors and mist below their respective threshold limit value.

Individual protection measures, such as personal protective equipment

Personal Protective Equipment

Eye protection: Goggles

Skin and body protection: Chemical resistant apron
Long sleeved clothing
Gloves

Respiratory protection: Vapor respirator. Be sure to use an approved/certified respirator or equivalent.

Hygiene measures: Avoid contact with skin, eyes and clothing. When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid	Appearance: No information available.	Color: Clear. Colorless.
Odor: Pleasant. Odor resembling that of a mixture of ethanol and acetone.	Taste Bitter. Burning.	Formula C3-H8-O
Molecular/Formula weight (g/mole): 60.1	Flammability (solid, gas) no data available	Flashpoint (°C/°F): 12-14 °C/52.6-57.2°F 23.9 °C/75 °F
Flash Point Tested according to: Closed cup Open cup	Autoignition Temperature (°C/°F): 399 °C/750.2 °F	Lower Explosion Limit (%): 2%
Upper Explosion Limit (%): 12.7%	Melting point/range(°C/°F): -88.5 °C/-127.3 °F	Decomposition temperature(°C/°F): No information available
Boiling point/range(°C/°F): 78.3 °C/ °F	Bulk density: No information available	Density (g/cm3): No information available
Specific gravity: 0.78505	pH No information available	Vapor pressure @ 20°C (kPa): 4.4
Evaporation rate: 21 (ether=1) 1.7-2.3 (n-butyl acetate=1)	Vapor density: 2.07	VOC content (g/L): 785
Odor threshold (ppm): 22	Partition coefficient (n-octanol/water): 0.05 - 0.1	Viscosity: No information available
Miscibility: Miscible with water Miscible with Acetone	Solubility: No information available	

Miscible with alcohol
Miscible with Ether
Miscible with Benzene
Miscible with Chloroform

10. STABILITY AND REACTIVITY

Reactivity

Reactive with acids
Reacts with strong bases
It can react vigorously, violently or explosively with oxidizers
Contact with strong oxidizers may cause fire
Vigorous reaction when mixed with sodium dichromate + sulfuric acid
Explosive reaction can occur when it is mixed with nitroform
Contact with potassium-tert-butoxide can cause ignition
It forms explosive mixtures with trinitromethane, hydrogen peroxide, barium perchlorate
Hydrogen peroxide sharply reduces the autoignition temperature of isopropyl alcohol
After a delay, isopropyl alcohol ignites on contact with dioxgenyl tetrafluoborate, chromium trioxide, potassium tert-butoxide
It reacts violently with hydrogen-palladium combination, oleum, aluminum triisopropoxide, COCl₂
Ignition occurs when potassium tert-butoxide reacts with n-propanol

Chemical stability

Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: Hazardous polymerization does not occur

Conditions to avoid: Heat. Ignition sources. Exposure to light. Incompatible materials.

Incompatible Materials:

- Oxidizing agents
- Acids
- Bases
- isocyanates
- Amines
- Ammonia
- Halogenated compounds
- Halogens
- Chlorine
- Phosgene
- Ethylene oxide
- Acetaldehyde
- chromium trioxide
- Potassium t-butoxide
- Aluminum
- Oleum

Hazardous decomposition products: Carbon monoxide. Carbon dioxide. When heated to decomposition it emits acrid smoke and irritating fumes.

Other Information

Corrosivity: No information available

Special Remarks on Corrosivity: No information available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Principal Routes of Exposure:
Ingestion. Skin. Eyes. Inhalation.

Acute Toxicity

Component Information

Isopropyl Alcohol	
CAS No	67-63-0

LD50/oral/rat = 1870 mg/kg Oral LD50 Rat(LOLI; Japan GHS); 4396-5500(EU Chemicals Bureau IUCLID dataset); 5000 mg/kg(RTECS)

LD50/oral/mouse = 3600 mg/kg (RTECS)

LD50/dermal/rabbit = 12800 mg/kg(RTECS)

4059 mg/kg(LOLI)

12870 mg/kg(EU Chemicals Bureau IUCLID dataset)

LD50/dermal/rat = 12800 mg/kg

LC50/inhalation/rat = 72.6 mg/l 4 h

16000 ppm Inhalation LC50 Rat 8 h

LC50/inhalation/mouse = 27.2 mg/l 4 h

Other LD50 or LC50 information = LD50 oral 6410 mg/kg [Rabbit]

Product Information

LD50/oral/rat =

Value - Acute Toxicity = 4396 mg/kg

LD50/oral/mouse =

Value - Acute Tox = 3600 mg/kg

LD50/dermal/rabbit

Value - Acute Toxicity = 12800 mg/kg

LD50/dermal/rat

VALUE - Acute Tox = 12800 mg/kg

LC50/inhalation/rat

VALUE-Vapor = 72.6 mg/l (4-hr)

VALUE-Gas = No information available

VALUE-Dust/Mist = No information available

LC50/Inhalation/mouse

VALUE-Vapor = No information available

VALUE - Gas = No information available

VALUE - Dust/Mist = 27.2 mg/l 4 h

Symptoms

Skin Contact:

May cause skin irritation. Mild skin irritation. It may be absorbed through the skin. If absorbed through skin it may cause systemic effects.

Eye Contact:

Causes serious eye irritation. Moderately irritating to the eyes.

Inhalation

Irritating to respiratory system. It may affect the cardiovascular system (change in pulse rate). May affect respiration (respiratory depression). Inhalation of high concentrations of vapor may cause anesthetic effects. Inhalation of high concentrations of vapors may cause dizziness or suffocation. May affect

behavior/central nervous system (dizziness, loss of coordination, coma). May affect behavior/central nervous system (headache, fatigue, lack of concentration, reduced memory, hallucinations, stupor, unconsciousness). May affect behavior/central nervous system (somnolence).

Ingestion

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause abdominal pain. May affect the cardiovascular system (change in heart rate). May affect cardiovascular system (hypotension, cardiac arrhythmias). May affect respiration (dyspnea, respiratory depression). May affect urinary system (kidneys). May affect peripheral nervous system (peripheral nerve and sensation - spastic paralysis with or without sensory change). It may affect behavior/central nervous system (central nervous system depression, ataxia, general anesthetic). May affect behavior/central nervous system (dizziness, headache). May affect behavior/central nervous system (somnolence). May affect behavior/central nervous system (irritability, hallucinations, coma). Aspiration may lead to pulmonary edema. Aspiration into the lungs can cause chemical pneumonitis.

Aspiration hazard

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic Toxicity

Prolonged or repeated skin contact may cause dermatitis and defatting, dryness, and cracking of the skin. Chronic exposure may cause central nervous system effects. Prolonged or repeated ingestion may affect the liver. Prolonged or repeated inhalation may affect the peripheral nervous system (weakness, peripheral neuropathy with paresthesia - a tingling, pricking, or numbness of the skin (known as the feeling of "pins and needles") generally of the hands and feet (extremities)). Prolonged or repeated inhalation may affect the liver. Prolonged or repeated inhalation may affect the kidneys. Prolonged or repeated inhalation may affect the brain. Prolonged or repeated inhalation may affect the blood (changes in serum composition, pigmented or nucleated red blood cells).

Sensitization:

No information available.

Mutagenic Effects:

No information available

Carcinogenic effects:

Not classifiable as a human carcinogen. Not classifiable as to its carcinogenicity to humans.

Component	CAS No	IARC	ACGIH - Carcinogens	NTP	OSHA HCS - Carcinogens	Australia - Notifiable Carcinogenic Substances	Australia - Prohibited Carcinogenic Substances
Isopropyl Alcohol	67-63-0	Group 3 - Not classifiable - Monograph 71 [1999] Supplement 7 [1987] Monograph 15 [1977]	A4 Not Classifiable as a Human Carcinogen	Not listed	Not listed	Not listed	Not listed

ACGIH (American Conference of Governmental Industrial Hygienists)

A4 - Not Classifiable as a Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not classifiable as to its carcinogenicity to humans

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity	Suspected of damaging fertility or the unborn child
Reproductive Effects:	No information available
Developmental Effects:	Possible risk of harm to the unborn child May cause adverse developmental effects
Teratogenic Effects:	May cause birth defects (teratogenic effects) based on animal test data Showed teratogenic effects in animal experiments

Specific Target Organ Toxicity

STOT - single exposure	respiratory system. central nervous system.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure. liver. kidney. Peripheral Nervous System (PNS). central nervous system. spleen. blood.
Target Organs:	Skin. Central nervous system. Peripheral nervous system. Brain. Liver. Kidneys. Blood. Spleen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects:	Aquatic environment.
<i>Isopropyl Alcohol - 67-63-0</i>	
Algae/aquatic plants	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)
Fish	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)
Crustacea	EC50: =13299mg/L (48h, Daphnia magna)
Persistence and degradability:	No information available
Bioaccumulative potential:	No information available.
Mobility in soil	No information available
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from residues / unused products:
Waste must be disposed of in accordance with Federal, State and Local regulation.

Contaminated packaging:
Empty containers should be taken for local recycling, recovery or waste disposal

Component	CAS No	RCRA - F Series Wastes	RCRA - K Series Wastes	RCRA - P Series Wastes	RCRA - U Series Wastes
Isopropyl Alcohol	67-63-0	None	None	None	None

14. TRANSPORT INFORMATION

DOT	
UN-No:	UN1219
Proper Shipping Name:	Isopropanol

Hazard Class	3
Subsidiary Class	No information available
Packing group:	II
Emergency Response Guide Number	129
Marine Pollutant	No data available
DOT RQ (lbs):	No information available
Special Provisions	IB2, T4, TP1
Symbol(s):	No information available
Description:	UN1219, Isopropanol, 3, II

TDG (Canada)

UN-No:	UN1219
Proper Shipping Name:	Isopropanol
Hazard Class	3
Subsidiary Risk:	No information available
Packing Group:	II
Marine Pollutant	No Information available
Description:	UN1219, Isopropanol, 3, II

ADR

UN Number	UN1219
Proper Shipping Name:	Isopropanol
Transport hazard class(es)	3
Packing group	II
Subsidiary Risk:	No information available
Special Provisions	601
Description:	UN1219, Isopropanol, 3, II

IMDG

UN-No:	UN1219
Proper Shipping Name:	Isopropanol
Hazard Class:	3
Subsidiary Risk:	No information available
Packing Group:	II
Marine Pollutant	No information available
EMS:	F-E
Description	UN1219, Isopropanol, 3, II

RID

UN Number	UN1219
Proper Shipping Name:	Isopropanol
Transport hazard class(es)	3
Subsidiary Risk:	3
Packing group	II
Special Provisions	601
Description:	UN1219, Isopropanol, 3, II

ICAO (air)

UN-No:	UN1219
Proper Shipping Name:	Isopropanol
Hazard Class	3
Subsidiary Risk:	No information available
Packing Group:	II
Description:	UN1219, Isopropanol, 3, II
Special Provisions	A180

IATA

UN Number UN1219
Proper Shipping Name: Isopropanol
Transport hazard class(es) 3
Subsidiary Risk: No information available
Packing group II
Precautionary Statements - Response 3L
Special Provisions No information available
Description: UN1219, Isopropanol, 3, II

15. REGULATORY INFORMATION

International Inventories

Component	CAS No	U.S. TSCA	KOREA KECL	Philippines (PICCS)	Japan ENCS	China IECSC	Australia (AICS)	EINECS-No.
Isopropyl Alcohol	67-63-0	PresentACTIVE	PresentKE-29363	Present	Present(2)-207	Present	Present	Present200-661-7

U.S. Regulations

Isopropyl Alcohol

Massachusetts RTK: Present
New Jersey RTK Hazardous Substance List: 1076
New Jersey (EHS) List: 1076 500 lb TPQ
New Jersey - Discharge Prevention - List of Hazardous Substances: Present
Pennsylvania RTK: Environmental hazard
Pennsylvania RTK - Environmental Hazard List Present
Minnesota - Hazardous Substance List: Present
California Directors List of Hazardous Substances: Present
FDA - Direct Food Additives 21 CFR 172.515, 21 CFR 173.240, 21 CFR 173.340
FDA - 21 CFR - Total Food Additives 172.385, 172.515, 172.560, 172.665, 172.695, 173.240, 173.340, 175.105, 176.180,
- List Sourced from EAFUS 176.200, 176.210, 177.1200, 177.2800, 178.1010, 73.1, 73.1001, 73.30, 73.315, 73.345, 73.615

California Prop. 65: Safe Drinking Water and Toxic Enforcement Act of 1986.

Chemicals Known to the State of California to Cause Cancer:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Chemicals Known to the State of California to Cause Reproductive Toxicity:

This product does not contain a chemical requiring a warning under California Prop. 65. (See table below)

Component	CAS No	Carcinogen	Developmental Toxicity	Male Reproductive Toxicity	Female Reproductive Toxicity:
Isopropyl Alcohol	67-63-0	Not Listed	Not Listed	Not Listed	Not Listed

CERCLA/SARA

Component	CAS No	CERCLA - Hazardous Substances and their Reportable Quantities	Section 302 Extremely Hazardous Substances and TPQs	Section 302 Extremely Hazardous Substances and RQs	Section 313 - Chemical Category	Section 313 - Reporting de minimis
Isopropyl Alcohol	67-63-0	None	None	None	None	1.0 % de minimis concentration

U.S. TSCA

Component	CAS No	TSCA Section 5(a)2 - Chemicals	TSCA 8(d) -Health and Safety
-----------	--------	--------------------------------	------------------------------

		With Significant New Use Rules (SNURS)	Reporting
Isopropyl Alcohol	67-63-0	Not Applicable	Not Applicable

Canada

WHMIS 2015 - GHS Classifications

WHMIS 2015 Hazard Classification Information:

Component
Isopropyl Alcohol
67-63-0 (100)

WHMIS 2015 Hazard Classification
Flammable liquids - Category 2: H225 Highly flammable liquid and vapour.; Serious Eye Damage/Eye Irritation - Category 2: H319 Causes serious eye irritation. (70% aqueous solution)

Canada Hazardous Products Regulation This product has been classified according to the hazard criteria of the HPR (Hazardous Products Regulation) and the SDS contains all of the information required by the HPR

DSL/NDSL

Component	CAS No	Canada (DSL)	Canada (NDSL)
Isopropyl Alcohol	67-63-0	Present	Not Listed

Component	CAS No	CEPA Schedule I - Toxic Substances
Isopropyl Alcohol	67-63-0	Not listed
Component	CAS No	CEPA - 2010 Greenhouse Gases Subject to Mandatory Reporting
Isopropyl Alcohol	67-63-0	Not listed

EU Classification

EU GHS - SV - CLP 1272/2008

Component	CAS No	EU GHS - SV - CLP (1272/2008)
Isopropyl Alcohol	67-63-0	Flammable liquids - Flam. Liq. 2: H225 Highly flammable liquid and vapour.; Serious Eye Damage/Eye Irritation - Eye Irrit. 2: H319 Causes serious eye irritation.; Specific target organ toxicity - Single exposure - STOT SE 3: H336 May cause drowsiness or dizziness.603-117-00-0

EU - CLP (1272/2008)

R-phrases(s)

R11 - Highly flammable
R36 - Irritating to eyes
R67 - Vapors may cause drowsiness and dizziness.

S -phrase(s)

S 7 - Keep container tightly closed.
S16 - Keep away from sources of ignition - No smoking
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S24/25 - Avoid contact with skin and eyes

Component	CAS No	Classification	Concentration Limits:	Safety Phrases
Isopropyl Alcohol	67-63-0	F; R11 Xi; R36 R67	No information	S2 S7 S16 S24/25 S26

The product is classified in accordance with Annex VI to Directive 67/548/EEC

Indication of danger:

F - Highly flammable

Xi - Irritant

Xi



F



16. OTHER INFORMATION

Preparation Date: 01/01/2019

Revision date N/A

Prepared by: -

Disclaimer:

All chemicals may pose unknown hazards and should be used with caution. This Safety Data Sheet (SDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. The physical properties reported in this SDS are obtained from the literature and do not constitute product specifications. Information contained herein does not constitute a warranty, whether expressed or implied, as to the safety, merchantability or fitness of the goods for a particular purpose. Dawn Scientific Inc Chemicals & Laboratory Products, assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Dawn Scientific Inc assumes no responsibility for the completeness or accuracy of the information contained herein.

End of Safety Data Sheet